

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation - CPR) this certificate applies to the construction product

## Glued laminated timber (glulam)

according to the product specification listed in the current addendum to this certificate produced by

Company
MOSSER LEIMHOLZ GMBH
Fohlenhof 2

AT-3263 Randegg

and produced in the manufacturing plants

AT-3263 Randegg, Fohlenhof 2 AT-3263 Randegg, Perwarth 88

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14080:2013

under system 1 being certified for the performances set out in this certificate are applied and that the construction product fulfils/products fulfil all the prescribed requirements for these performances.

Certificate number: 1359-CPR-0629 Date of first issue: 21.07.2015 Date of issuance: 20.04.2016

This certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.


For the validity of this certificate see www.holzforschung.at.

Dr. Andreas Neumüller

Authorised signatory

Dr. Manfred Brandstätter Head of the Certification Body

## Annex to Certificate 1359-CPR-0629





## Scope of certification for the following products:

## **GLUED LAMINATED TIMBER (GLULAM)**

Timber species/ strength classes:

PCAB - spruce; ABAL - fir:

GL 24h, GL 24c, GL 28c, GL 30h

according to EN 14080

1, 2, 3

Mechanical resistance:

Service classes:

Adhesive:

- Finger joints

- Surface bonding

Reaction to fire:

Formaldehyde class:

Natural durability class:

Type I: MUF according to EN 301

Type I: MUF according to EN 301

D-s2, d0

E1

according to EN 350-2